#### **Mission:**

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



**Rick Scott** 

Governor

Celeste Philip, MD, MPH

Surgeon General and Secretary

Vision: To be the Healthiest State in the Nation

## FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS SURVEILLANCE

MONTHLY HIV/AIDS SURVEILLANCE REPORT

**NOVEMBER 2016** 

#### AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (AIDS Worksheet)

AIDS cases by age group and gender (Excluding Department of Correction - DOC).

AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

AIDS cases by year of report and gender (Excluding DOC)

Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

Pediatric AIDS cases by exposure category, race/ethnicity and gender.

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

### HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (HIV Worksheet)

HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)

HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

HIV (not AIDS) cases by year of report and gender (Excluding DOC)

Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender.

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

(Continue next Page)

Florida Department of Health

In Miami-Dade County

Epidemiology, Disease Control, and Immunization Services 8600 NW 17th Street, suite 200, Miami, Florida 33126 PHONE: 305/470-5660 - FAX 305/470-5533

FloridaHealth.gov



#### Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



**Rick Scott** 

Governor

Celeste Philip, MD, MPH

Surgeon General and Secretary

Vision: To be the Healthiest State in the Nation

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC) Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC) Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

#### PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20<sup>th</sup>, 2006 (PERINATAL EXPOSED Worksheet)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.

CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2016.

All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

#### LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015 (PLWHA Worksheet)

Total prevalence by diagnosis category (Excluding DOC)

Total living cases including Department of Corrections [DOC]

Total prevalence by gender (Excluding DOC)

Total prevalence by race/ethnicity (Excluding DOC)

Total prevalence by current age group (Excluding DOC)

Total prevalence by exposure category (Excluding DOC)

#### **ONE-IN STATEMENTS** (ONE-IN STATEMENTS Worksheet)

One-in statements for adult (>=13) persons living with HIV or AIDS through 2015 in Miami-Dade & Florida.

One-in statements for persons (all ages) living with HIV or AIDS through 2015 in Miami-Dade & Florida.

### **USEFUL WEBSITES LINKS** (WEBSITE Worksheet)

Useful websites for HIV/AIDS related information.

#### Florida Department of Health

In Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200, Miami, Florida 33126
PHONE: 305/470-5660 - FAX 305/470-5533
FloridaHealth.gov



### **Cumulative Number of Reported AIDS Cases**

AIDS Cases by age group and	gender (Ex	cluding D	Department	of Correc	tion - DOC	;)	AIDS (	Cases by a	age group,	race/ethn	icity & gen	der, show	ing Haitiaı	ıs separat	ted (Exclud	ling DOC)		
AIDS Cases by	Female	е	Male		TOTAL A	AIDS	Hispanic/I	Latino	Black		White		Haitiaı	1	Other (	1)	TOTAL A	AIDS
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	210	2.2%	196	0.7%	406	1.1%	29	29	168	151	5	7	6	8	2	1	210	196
5-12	53	0.5%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	55
13-19	171	1.8%	136	0.5%	307	0.8%	20	42	127	85	5	2	15	6	4	1	171	136
20-29	1,738	18.0%	3,287	12.4%	5,025	13.9%	288	1,426	1,116	1,048	77	502	238	263	19	48	1,738	3,287
30-39	3,326	34.4%	9,586	36.2%	12,912	35.7%	544	4,164	2,012	2,700	165	1,672	562	896	43	154	3,326	9,586
40-49	2,492	25.8%	7,906	29.9%	10,398	28.8%	464	3,225	1,434	2,538	131	1,256	421	774	42	113	2,492	7,906
50-59	1,129	11.7%	3,673	13.9%	4,802	13.3%	249	1,490	580	1,262	57	485	218	379	25	57	1,129	3,673
60-64	278	2.9%	874	3.3%	1,152	3.2%	69	338	126	322	10	113	68	85	5	16	278	874
65-69	150	1.6%	439	1.7%	589	1.6%	30	152	77	177	5	58	35	43	3	9	150	439
>=70	113	1.2%	326	1.2%	439	1.2%	33	129	47	119	12	36	17	33	4	9	113	326
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,660	100%	26,478	100%	36,138	100%	1,736	11,006	5,720	8,438	471	4,133	1,585	2,492	148	409	9,660	26,478

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by	Femal	е	Male		TOTAL A	AIDS
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	22.6%	31	81.6%	38	0.1%
1983	16	19.5%	82	83.7%	98	0.3%
1984	18	13.5%	133	88.1%	151	0.4%
1985	29	18.0%	161	84.7%	190	0.5%
1986	71	21.6%	329	82.3%	400	1.1%
1987	63	15.6%	405	86.5%	468	1.3%
1988	109	19.7%	554	83.6%	663	1.8%
1989	195	24.9%	784	80.1%	979	2.7%
1990	171	23.4%	730	81.0%	901	2.5%
1991	362	23.6%	1,536	80.9%	1,898	5.3%
1992	304	25.7%	1,185	79.6%	1,489	4.1%
1993	443	26.4%	1,679	79.1%	2,122	5.9%
1994	748	31.0%	2,414	76.3%	3,162	8.7%
1995	668	38.8%	1,722	72.1%	2,390	6.6%
1996	579	37.1%	1,560	72.9%	2,139	5.9%
1997	432	39.6%	1,092	71.7%	1,524	4.2%
1998	475	46.1%	1,030	68.4%	1,505	4.2%
1999	356	40.9%	870	71.0%	1,226	3.4%

AIDS Cases by	Femal	е	Male		TOTAL	AIDS
Year & Gender (Cont.)	Cases	Row %	Cases	Row %	Cases	Col %
2000	379	46.6%	814	68.2%	1,193	3.3%
2001	372	48.7%	764	67.3%	1,136	3.1%
2002	323	40.9%	789	71.0%	1,112	3.1%
2003	305	43.0%	709	69.9%	1,014	2.8%
2004	409	46.0%	890	68.5%	1,299	3.6%
2005	392	49.7%	789	66.8%	1,181	3.3%
2006	395	53.7%	735	65.0%	1,130	3.1%
2007	275	53.1%	518	65.3%	793	2.2%
2008	324	45.1%	719	68.9%	1,043	2.9%
2009	255	44.5%	573	69.2%	828	2.3%
2010	198	43.2%	458	69.8%	656	1.8%
2011	233	48.9%	476	67.1%	709	2.0%
2012	158	36.0%	439	73.5%	597	1.7%
2013	189	40.3%	469	71.3%	658	1.8%
2014	144	39.6%	364	71.7%	508	1.4%
2015	146	45.3%	322	68.8%	468	1.3%
2016	117	33.5%	349	74.9%	466	1.3%
Total Adult AIDS	9,660	36.5%	26,478	73.3%	36,138	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

AIDS / 2016-11 3 of 23

### **Cumulative Number of Reported AIDS Cases**

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

			Adult AID	S	_				Pediatr	ic AIDS					TOTAL AI	DS CASE	S	
AIDS by Race/	Female	е	Male		Total Ad	ult	Female	е	Male		Total Ped	iatric	Total Fer	male	Total Ma	ale	Total Ca	ises
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,714	18.2%	10,992	41.9%	12,706	35.7%	39	14.8%	40	15.9%	79	15.4%	1,753	18.1%	11,032	41.7%	12,785	35.4%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	23	0.1%	25	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	23	0.1%	25	0.1%
Black or African American	7,056	75.1%	10,678	40.7%	17,734	49.8%	212	80.6%	200	79.7%	412	80.2%	7,268	75.2%	10,878	41.1%	18,146	50.2%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	462	4.9%	4,128	15.7%	4,590	12.9%	9	3.4%	9	3.6%	18	3.5%	471	4.9%	4,137	15.6%	4,608	12.8%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	159	1.7%	391	1.5%	550	1.5%	3	1.1%	2	0.8%	5	1.0%	162	1.7%	393	1.5%	555	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,397	100%	26,227	100%	35,624	100%	263	100%	251	100%	514	100%	9,660	100%	26,478	100%	36,138	100%

<sup>\*</sup> This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

			Adult AID	s		
	Femal	е	Male		Total Ad	ult
Exposure Category among adult AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,664	55.9%	14,664	41.2%
Adult injection drug use [IDU]	2,064	22.0%	3,197	12.2%	5,261	14.8%
Adult MSM & IDU	0		1,417	5.4%	1,417	4.0%
Adult heterosexual contact [HTRSX]	6,303	67.1%	4,172	15.9%	10,475	29.4%
Adult other risk*	171	1.8%	193	0.7%	364	1.0%
Adult no risk factor reported [NRR]	859	9.1%	2,584	9.9%	3,443	9.7%
Total adult AIDS	9,397	100%	26,227	100%	35,624	100%

<sup>\*</sup> Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric	AIDS		
	Femal	е	Male		Total Pedi	atric
Exposure Category among Pediatric AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	260	98.9%	243	96.8%	503	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
Total Pediatric AIDS	263	100%	251	100%	514	100%

### **Cumulative Number of Reported AIDS Cases**

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
	MALE-TO-	-MALE	INJECT	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	FEMAL	.E
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			249	12.1%			1,315	20.9%	34	19.9%	116	13.5%	1,714	18.2%
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,564	75.8%			4,673	74.1%	118	69.0%	701	81.6%	7,056	75.1%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			206	10.0%			210	3.3%	14	8.2%	32	3.7%	462	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			45	2.2%			99	1.6%	5	2.9%	10	1.2%	159	1.7%
Adult Female AIDS			2,064	100%			6,303	100%	171	100%	859	100%	9,397	100%

<sup>\*</sup> OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

ADULT MALE AIDS CASES														
	MALE-TO-	MALE	INJECT	ION	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	MALE	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	8,041	54.8%	708	22.1%	509	35.9%	1,060	25.4%	60	31.1%	614	23.8%	10,992	41.9%
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	16	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	23	0.1%
Black or African American	3,062	20.9%	2,200	68.8%	605	42.7%	2,937	70.4%	83	43.0%	1,791	69.3%	10,678	40.7%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,317	22.6%	239	7.5%	276	19.5%	103	2.5%	45	5.0%	148	5.7%	4,128	15.7%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	221	1.5%	49	1.5%	27	1.9%	64	1.5%	5	2.6%	25	1.0%	391	1.5%
Adult Male AIDS	14,664	100%	3,197	100%	1,417	100%	4,172	100%	193	82%	2,584	100%	26,227	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT AIDS	14,664	41.2%	5,261	14.8%	1,417	4.0%	10,475	29.4%	364	1.0%	3,443	9.7%	35,624	100%

### **Cumulative Number of Reported AIDS Cases**

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CA												
Exposure Category/	PERINA		HEMOPH		TRANSFU		OTHER R		NO REPO		TOTAL FE	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	37	14.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.8%
Black or African American	211	81.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	212	80.6%
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%
Multi-Race	3	1.2%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	3	1.1%
Pediatric Female AIDS	260	100%	0	#DIV/0!	2	100%	0	#DIV/0!	1	100%	263	100%

Exposure Category/	PERINAT	ΓAL	HEMOPH	LIAC	TRANSFU	SION	OTHER R	ISK	NO REPO	RTED	TOTAL MA	ALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
Pediatric Male AIDS	243	100%	0	#DIV/0!	5	100%	1	100%	2	100%	251	100%

### TOTAL PEDIATRIC AIDS 503 97.9% 0 0.0% 7 1.4% 1 0.2% 3 0.6% 514 100%

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country	ADUL	T FEMALE	AIDS	ADU	LT MALE	AIDS	TOTAL HIS	PANIC/LAT	INO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	12.5%	168	1.5%	87.5%	192	1.5%	100%
Brazil	12	0.7%	8.6%	127	1.2%	91.4%	139	1.1%	100%
Colombia	73	4.3%	12.4%	518	4.7%	87.6%	591	4.7%	100%
Cuba	411	24.0%	7.8%	4,880	44.4%	92.2%	5,291	41.6%	100%
Dominican Republic	75	4.4%	31.9%	160	1.5%	68.1%	235	1.8%	100%
Guatemala	20	1.2%	15.9%	106	1.0%	84.1%	126	1.0%	100%
Honduras	139	8.1%	29.3%	335	3.0%	70.7%	474	3.7%	100%
Mexico	21	1.2%	8.0%	243	2.2%	92.0%	264	2.1%	100%
Nicaragua	83	4.8%	18.3%	371	3.4%	81.7%	454	3.6%	100%
Peru	27	1.6%	13.5%	173	1.6%	86.5%	200	1.6%	100%
Puerto Rico	189	11.0%	17.6%	883	8.0%	82.4%	1,072	8.4%	100%
United States	404	23.6%	20.9%	1,533	13.9%	79.1%	1,937	15.2%	100%
Venezuela	17	1.0%	5.9%	270	2.5%	94.1%	287	2.3%	100%
Other/Unknown Countries	219	12.8%	15.2%	1,225	11.1%	84.8%	1,444	11.4%	100%
Total Adult Hispanic/Latino	1,714	100%	13.5%	10,992	100%	86.5%	12,706	100%	100%

#### NOVEMBER 2016

## FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance

### **Cumulative Number of Reported AIDS Cases**

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

	MALE-TO-N	/ALE	INJECT	TION	MSM &	DU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	Total His	panic/Latin	o Female
Country of Origin	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	by C	ountry of O	rigin
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%	100%
Brazil			2	16.7%			10	83.3%	0	0.0%	0	0.0%	12	0.7%	100%
Colombia			8	11.0%			54	74.0%	2	2.7%	9	12.3%	73	4.3%	100%
Cuba			55	13.4%			308	74.9%	8	1.9%	40	9.7%	411	24.0%	100%
Dominican Republic			3	4.0%			65	86.7%	0	0.0%	7	9.3%	75	4.4%	100%
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100%
Honduras			8	5.8%			123	88.5%	1	0.7%	7	5.0%	139	8.1%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.2%	100%
Nicaragua			5	6.0%			67	80.7%	1	1.2%	10	12.0%	83	4.8%	100%
Peru			1	3.7%			25	92.6%	1	3.7%	0	0.0%	27	1.6%	100%
Puerto Rico			50	26.5%			127	67.2%	3	1.6%	9	4.8%	189	11.0%	100%
United States			85	21.0%			287	71.0%	16	4.0%	16	4.0%	404	23.6%	100%
Venezuela			3	17.6%			13	76.5%	0	0.0%	1	5.9%	17	1.0%	100%
Other/Unknown Countries			23	10.5%			180	82.2%	1	0.5%	15	6.8%	219	12.8%	100%
Total adult Hispanic/Latino Fema	le		249	14.5%			1,315	76.7%	34	2.0%	116	6.8%	1,714	100%	100%
	MALE-TO-N	<b>IALE</b>	INJECT	_	MSM &	DU	HETEROS	_	OTHER		NO REPO	RTED	Total Hi	ispanic/Lati	ino Male
Country of Origin	SEXUAL CO		DRUG US	_			CONTA		RISK		RISK [N	_		ountry of O	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	140	83.3%	4	2.4%	7	4.2%	14	8.3%	0	0.0%	3	1.8%	168	1.5%	100%
Brazil	105	82.7%	7	5.5%	5	3.9%	6	4.7%	2	1.6%	2	1.6%	127	1.2%	100%
Colombia	420	81.1%	15	2.9%	18	3.5%	42	8.1%	3	0.6%	20	3.9%	518	4.7%	100%
Cuba	3,779	77.4%	212	4.3%	194	4.0%	396	8.1%	26	0.5%	273	5.6%	4,880	44.4%	100%
Dominican Republic	87	54.4%	8	5.0%	6	3.8%	43	26.9%	1	0.6%	15	9.4%	160	1.5%	100%
Guatemala	58	54.7%	5	4.7%	2	1.9%	29	27.4%	0	0.0%	12	11.3%	106	1.0%	100%
	30	34.7 /0	Ŭ	4.7 /0		1.070	29	21.470							
Honduras	215	64.2%	18	5.4%	6	1.8%	70	20.9%	4	1.2%	22	6.6%	335	3.0%	100%
Honduras Mexico									4	1.2% 0.0%	22 19	6.6% 7.8%	335 243	3.0% 2.2%	
	215	64.2%	18	5.4%		1.8%	70	20.9%							100%
Mexico	215 166	64.2% 68.3%	18	5.4% 4.5%	6	1.8%	70 40	20.9%		0.0%	19	7.8%	243	2.2%	100%
Mexico Nicaragua	215 166 272	64.2% 68.3% 73.3%	18 11 10	5.4% 4.5% 2.7%	6 7 13	1.8% 2.9% 3.5%	70 40 54	20.9% 16.5% 14.6%		0.0%	19 21	7.8% 5.7%	243 371	2.2% 3.4%	100% 100% 100%
Mexico Nicaragua Peru	215 166 272 138	64.2% 68.3% 73.3% 79.8%	18 11 10 2	5.4% 4.5% 2.7% 1.2%	6 7 13	1.8% 2.9% 3.5% 1.2%	70 40 54 19	20.9% 16.5% 14.6% 11.0%	0 1	0.0% 0.3% 0.6%	19 21 11	7.8% 5.7% 6.4%	243 371 173	2.2% 3.4% 1.6%	100% 100% 100% 100%
Mexico Nicaragua Peru Puerto Rico	215 166 272 138 438	64.2% 68.3% 73.3% 79.8% 49.6%	18 11 10 2 215	5.4% 4.5% 2.7% 1.2% 24.3%	6 7 13 2 105	1.8% 2.9% 3.5% 1.2% 11.9%	70 40 54 19 72	20.9% 16.5% 14.6% 11.0% 8.2%	0 1 1 3	0.0% 0.3% 0.6% 0.3%	19 21 11 50	7.8% 5.7% 6.4% 5.7%	243 371 173 883	2.2% 3.4% 1.6% 8.0%	100% 100% 100% 100% 100%
Mexico Nicaragua Peru Puerto Rico United States	215 166 272 138 438 1,058	64.2% 68.3% 73.3% 79.8% 49.6% 69.0%	18 11 10 2 215 156	5.4% 4.5% 2.7% 1.2% 24.3% 10.2%	6 7 13 2 105	1.8% 2.9% 3.5% 1.2% 11.9% 7.4%	70 40 54 19 72 132	20.9% 16.5% 14.6% 11.0% 8.2% 8.6%	0 1 1 3 14	0.0% 0.3% 0.6% 0.3% 0.9%	19 21 11 50 59	7.8% 5.7% 6.4% 5.7% 3.8%	243 371 173 883 1,533	2.2% 3.4% 1.6% 8.0% 13.9%	100% 100% 100% 100% 100% 100% 100% 100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

8,041 63.3%

957 7.5%

509

4.0%

2,375 18.7%

94 0.7%

730

5.7%

TOTAL ADULT HISPANIC/LATINO

12,706 100%

# FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Cumulative Number of Reported AIDS Cases

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN AIDS	CASES													
Exposure Category	MALE-TO-N	MALE	INJEC	TION	MSM & I	DU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	Total Ha	itian
GENDER	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	NRR]	by Ger	nder
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			56	3.6%			1,186	75.3%	26	1.7%	306	19.4%	1,574	100%
Haitian born Adult Males	552	22.3%	77	3.1%	29	1.2%	917	37.0%	12	0.5%	892	36.0%	2,479	100%
Total Haitian born	552	13.6%	133	3.3%	29	0.7%	2,103	51.9%	38	0.9%	1,198	29.6%	4,053	100%

<sup>\*</sup> OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

		DOC A	AIDS Case	s		
AIDS Cases by	Femal	е	Male		Total	
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	93	13.8%	93	13.2%
Black or African American	21	77.8%	481	71.2%	502	71.4%
White	4	14.8%	70	10.4%	74	10.5%
Haitian	1	3.7%	19	2.8%	20	2.8%
Other (1)	1	3.7%	13	1.9%	14	2.0%
Total AIDS	27	100%	676	100%	703	100%

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

AIDS / 2016-11 8 of 23

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY

### **HIV/AIDS Surveillance**

### **Cumulative Number of Reported HIV (Not AIDS) Cases**

HIV (not AIDS) cases by age gr	oup and g	ender (Ex	cluding De	partment	of Correcti	ion - DOC	HIV (not A	IDS) Case	es by age g	group, race	e/ethnicity	& gender,	showing	Haitians s	eparated (l	Excluding	DOC)	
HIV Cases by	Female	9	Male		TOTAL I	HIV	Hispanic/l	_atino	Black		White		Haitia	n	Other (	1)	TOTAL H	·IIV
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	61	1.5%	47	0.4%	108	0.7%	13	9	46	34	1	0	1	2	0	2	61	47
5-12	34	0.8%	18	0.2%	52	0.3%	5	5	23	10	0	0	6	3	0	0	34	18
13-19	223	5.5%	322	2.7%	545	3.4%	44	135	165	163	6	10	7	11	1	3	223	322
20-29	976	24.1%	2,991	25.0%	3,967	24.8%	229	1,656	581	861	51	344	103	87	12	43	976	2,991
30-39	1,102	27.2%	3,730	31.2%	4,832	30.2%	267	2,161	554	729	77	642	194	155	10	43	1,102	3,730
40-49	931	23.0%	2,940	24.6%	3,871	24.2%	231	1,560	481	675	63	504	141	165	15	36	931	2,940
50-59	515	12.7%	1,333	11.1%	1,848	11.5%	139	571	248	413	22	229	100	104	6	16	515	1,333
60-64	99	2.4%	282	2.4%	381	2.4%	25	106	42	93	5	48	27	29	0	6	99	282
65-69	76	1.9%	170	1.4%	246	1.5%	24	74	35	59	4	23	12	14	1	0	76	170
>=70	39	1.0%	130	1.1%	169	1.1%	8	47	11	53	3	15	16	12	1	3	39	130
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total HIV	4,056	100%	11,963	100%	16,019	100%	985	6,324	2,186	3,090	232	1,815	607	582	46	152	4,056	11,963

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by	Femal	е	Male		TOTAL	HIV
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %
July-December 1997	121	36.9%	207	63.1%	328	2.0%
1998	266	30.9%	596	69.1%	862	5.4%
1999	251	30.8%	564	69.2%	815	5.1%
2000	225	30.3%	517	69.7%	742	4.6%
2001	233	30.1%	540	69.9%	773	4.8%
2002	283	30.4%	649	69.6%	932	5.8%
2003	231	28.2%	589	71.8%	820	5.1%
2004	220	27.1%	591	72.9%	811	5.1%
2005	219	31.2%	483	68.8%	702	4.4%
2006	177	27.8%	459	72.2%	636	4.0%
2007	216	26.5%	598	73.5%	814	5.1%
2008	224	25.0%	673	75.0%	897	5.6%
2009	175	24.3%	546	75.7%	721	4.5%
2010	165	22.8%	560	77.2%	725	4.5%
2011	176	22.1%	622	77.9%	798	5.0%
2012	155	22.2%	544	77.8%	699	4.4%

HIV Cases by	Femal	е	Male		TOTAL I	HIV
Year & Gender (Cont.)	Cases	Row %	Cases	Row %	Cases	Col %
2013	192	22.8%	651	77.2%	843	5.3%
2014	157	17.0%	769	83.0%	926	5.8%
2015	183	17.3%	877	82.7%	1,060	6.6%
2016	187	16.8%	928	83.2%	1,115	7.0%
Total HIV	4,056	25.3%	11,963	74.7%	16,019	100%

### **Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

			Adult HIV						Pediati	ric HIV	_				TOTAL HI	V CASES		
HIV by Race/	Female	е	Male		Total Ac	lult	Female	е	Male		Total Ped	iatric	Total Fe	male	Total Ma	ale	Total Ca	ses
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	972	24.5%	6,315	53.1%	7,287	45.9%	18	18.9%	14	21.5%	32	20.0%	990	24.4%	6,329	52.9%	7,319	45.7%
American Indian/Alaska Native	3	0.1%	5	0.0%	8	0.1%	0	0.0%	0	0.0%	0	0.0%	3	0.1%	5	0.0%	8	0.0%
Asian	4	0.1%	32	0.3%	36	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	32	0.3%	36	0.2%
Black or African American	2,710	68.4%	3,613	30.4%	6,323	39.9%	75	78.9%	49	75.4%	124	77.5%	2,785	68.7%	3,662	30.6%	6,447	40.2%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	232	5.9%	1,816	15.3%	2,048	12.9%	1	1.1%	0	0.0%	1	0.6%	233	5.7%	1,816	15.2%	2,049	12.8%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.5%	1	0.6%	1	0.0%	7	0.1%	8	0.0%
Multi-Race	38	1.0%	106	0.9%	144	0.9%	1	1.1%	1	1.5%	2	1.3%	39	1.0%	107	0.9%	146	0.9%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,961	100%	11,898	100%	15,859	100%	95	100%	65	100%	160	100%	4,056	100%	11,963	100%	16,019	100%

<sup>\*</sup> This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

. , ,						
			Adult HIV			
	Femal	е	Male		Total Ad	ult
Exposure Category among adult HIV cases	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			8,361	70.3%	8,361	52.7%
Adult injection drug use [IDU]	282	7.1%	331	2.8%	613	3.9%
Adult MSM & IDU			264	2.2%	264	1.7%
Adult heterosexual contact [HTRSX]	3,159	79.8%	1,764	14.8%	4,923	31.0%
Adult other risk*	6	0.2%	4	0.0%	10	0.1%
Adult no risk factor reported [NRR]	514	13.0%	1,174	9.9%	1,688	10.6%
Total adult HIV	3,961	100%	11,898	100%	15,859	100%

<sup>\*</sup> Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric I	HIV		
	Femal	е	Male		Total Pedi	atric
Exposure Category among Pediatric HIV cases	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	92	96.8%	63	96.9%	155	96.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.2%	2	3.1%	5	3.1%
Total Pediatric HIV	95	100%	65	100%	160	100%

11 of 23

## FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance

### **Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
Exposure Category/	MALE-TO- SEXUAL CO				MSM & IDU		HETEROS CONTA	-	OTHER RISK		NO REPO RISK [N		TOTAL A	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			69	24.5%			746	23.6%	2	33.3%	155	30.2%	972	24.5%
American Indian/Alaska Native			0	0.0%			3	0.1%	0	0.0%	0	0.0%	3	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			163	57.8%			2,222	70.3%	2	33.3%	323	62.8%	2,710	68.4%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			43	15.2%			158	5.0%	1	16.7%	30	5.8%	232	5.9%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.5%			27	0.9%	1	16.7%	3	0.6%	38	1.0%
Adult Female HIV			282	100%			3,159	100%	6	100%	514	100%	3,961	100%

\* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

	MALE-TO-	MALE	INJECT	ΓΙΟΝ	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	MALE	Ē
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5,136	61.4%	99	29.9%	128	48.5%	500	28.3%	0	0.0%	452	38.5%	6,315	53.1%
American Indian/Alaska Native	4	0.0%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	0	0.0%	5	0.0%
Asian	27	0.3%	0	0.0%	1	0.4%	2	0.1%	0	0.0%	2	0.2%	32	0.3%
Black or African American	1,563	18.7%	190	57.4%	78	29.5%	1,171	66.4%	2	50.0%	609	51.9%	3,613	30.4%
Native Hawaiian/Pacific Islander	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	5	0.0%
White	1,554	18.6%	39	11.8%	51	19.3%	67	3.8%	2	50.0%	103	8.8%	1,816	15.3%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	67	0.8%	3	0.9%	6	2.3%	23	1.3%	0	0.0%	7	0.6%	106	0.9%
Adult Male HIV	8,361	100%	331	100%	264	100%	1,764	100%	4	100%	1,174	100%	11,898	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HIV	8,361	52.7%	613	3.9%	264	1.7%	4,923	31.0%	10	0.1%	1,688	10.6%	15,859	100%

### **Cumulative Number of Reported HIV (Not AIDS) Cases**

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV CASES												
Exposure Category/	e Category/ PERINATAL		HEMOPHI	ILIAC	TRANSFL	JSION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	16	17.4%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	18	18.9%
Black or African American	74	80.4%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	75	78.9%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
Pediatric Female HIV	92	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	3	100%	95	100%

Exposure Category/	PERINAT	PERINATAL		ILIAC	TRANSFU	JSION	OTHER R	ISK	NO REPO	RTED	TOTAL MA	ALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	20.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	50.0%	14	21.5%
Black or African American	48	76.2%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	50.0%	49	75.4%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.5%
Multi-Race	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.5%
Pediatric Male HIV	63	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	100%	65	100%

	Cases	Row %										
TOTAL PEDIATRIC HIV	155	96.9%	0	0.0%	0	0.0%	0	0.0%	5	3.1%	160	100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country	ADUI	T FEMAL	E HIV	ADU	JLT MALE	HIV	TOTAL HIS	PANIC/LAT	NO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	21	2.2%	12.4%	148	2.3%	87.6%	169	2.3%	100%
Brazil	16	1.6%	10.6%	135	2.1%	89.4%	151	2.1%	100%
Colombia	38	3.9%	11.4%	296	4.7%	88.6%	334	4.6%	100%
Cuba	178	18.3%	7.9%	2,069	32.8%	92.1%	2,247	30.8%	100%
Dominican Republic	35	3.6%	29.2%	85	1.3%	70.8%	120	1.6%	100%
Honduras	68	7.0%	29.8%	160	2.5%	70.2%	228	3.1%	100%
Mexico	8	0.8%	5.1%	149	2.4%	94.9%	157	2.2%	100%
Nicaragua	35	3.6%	19.4%	145	2.3%	80.6%	180	2.5%	100%
Peru	14	1.4%	13.0%	94	1.5%	87.0%	108	1.5%	100%
Puerto Rico	59	6.1%	18.9%	253	4.0%	81.1%	312	4.3%	100%
United States	244	25.1%	16.0%	1,277	20.2%	84.0%	1,521	20.9%	100%
Venezuela	25	2.6%	5.9%	400	6.3%	94.1%	425	5.8%	100%
Other/Unknown Countries	231	23.8%	17.3%	1,104	17.5%	82.7%	1,335	18.3%	100%
Total Adult Hispanic/Latino HIV	972	100%	13.3%	6,315	100%	86.7%	7,287	100%	100%

### **Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

	MALE-TO-	-MALE	INJEC	TION	MSM &	IDU	HETEROS	EXUAL	OTHER	₹ *	NO REPO	RTED	Total His	panic/Latin	o Female
Country of Origin	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK	(	RISK [N	IRR]	by C	ountry of O	rigin
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	14.3%			16	76.2%	0	0.0%	2	9.5%	21	2.2%	100%
Brazil			0	0.0%			13	81.3%	0	0.0%	3	18.8%	16	1.6%	100%
Colombia			2	5.3%			31	81.6%	0	0.0%	5	13.2%	38	3.9%	100%
Cuba			9	5.1%			145	81.5%	0	0.0%	24	13.5%	178	18.3%	100%
Dominican Republic			1	2.9%			31	88.6%	0	0.0%	3	8.6%	35	3.6%	100%
Honduras			1	1.5%			60	88.2%	0	0.0%	7	10.3%	68	7.0%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.8%	100%
Nicaragua			0	0.0%			28	80.0%	0	0.0%	7	20.0%	35	3.6%	100%
Peru			1	7.1%			11	78.6%	0	0.0%	2	14.3%	14	1.4%	100%
Puerto Rico			10	16.9%			38	64.4%	0	0.0%	11	18.6%	59	6.1%	100%
United States			32	13.1%			179	73.4%	2	0.8%	31	12.7%	244	25.1%	100%
Venezuela			1	4.0%			22	88.0%	0	0.0%	2	8.0%	25	2.6%	100%
Other/Unknown Countries			7	3.0%			167	72.3%	0	0.0%	57	24.7%	231	23.8%	100%
Total adult Hispanic/Latino Female			69	7.1%			746	76.7%	2	0.2%	155	15.9%	972	100%	100%
ADULT HISPANIC/LATINO MA	LE HIV CAS	SES													
	MALE-TO-	-MALE	INJEC	TION	MSM &	IDU	HETEROS	EXUAL	OTHER	₹*	NO REPO	RTED	Total Hi	spanic/Lati	no Male
Country of Origin	SEXUAL CO	ONTACT	DRUG US	UG USE [IDU]			CONTA	СТ	RISK	(	RISK [N	IRR]	by C	ountry of O	rigin
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	130	87.8%	2	1.4%	2	1.4%	9	6.1%	0	0.0%	5	3.4%	148	2.3%	100%
Brazil	125	92.6%	0	0.0%	2	1.5%	5	3.7%	0	0.0%	3	2.2%	135	2.1%	100%
Colombia	255	86.1%	1	0.3%	9	3.0%	17	5.7%	0	0.0%	14	4.7%	296	4.7%	100%
Cuba	1,738	84.0%	21	1.0%	40	1.9%	177	8.6%	0	0.0%	93	4.5%	2,069	32.8%	100%
Dominican Republic	55	64.7%	3	3.5%	3	3.5%	16	18.8%	0	0.0%	8	9.4%	85	1.3%	100%
Honduras	112	70.0%	1	0.6%	3	1.9%	29	18.1%	0	0.0%	15	9.4%	160	2.5%	100%
Mexico	126	84.6%	2	1.3%	1	0.7%	12	8.1%	0	0.0%	8	5.4%	149	2.4%	100%
Nicaragua	113	77.9%	2	1.4%	2	1.4%	16	11.0%	0	0.0%	12	8.3%	145	2.3%	100%
-	85	90.4%	1	1.1%	1	1.1%	6	6.4%	0	0.0%	1	1.1%	94	1.5%	100%
	00				18	7.1%	10	4.0%	0	0.0%	11	4.3%	253	4.0%	100%
Peru	185	73.1%	29	11.5%					_	0.00/	78				
Peru		73.1% 81.8%	29 25	11.5% 2.0%	31	2.4%	98	7.7%	0	0.0%	70	6.1%	1,277	20.2%	100%
Peru Puerto Rico United States Venezuela	185 1,045 363	81.8% 90.8%	25 0	2.0% 0.0%	31 2	0.5%	17	4.3%	0	0.0%	18	4.5%	400	6.3%	100%
Peru Puerto Rico United States Venezuela Other/Unknown Countries	185 1,045 363 804	81.8% 90.8% 72.8%	25 0 12	2.0% 0.0% 1.1%	31 2 14	0.5% 1.3%	17 88	4.3% 8.0%	0	0.0% 0.0%	18 186	4.5% 16.8%	400 1,104	6.3% 17.5%	100% 100%
Peru Puerto Rico United States Venezuela Other/Unknown Countries	185 1,045 363	81.8% 90.8% 72.8%	25 0	2.0% 0.0%	31 2	0.5%	17	4.3%	0 0	0.0%	18	4.5%	400	6.3%	100%
Peru Puerto Rico	185 1,045 363 804	81.8% 90.8% 72.8%	25 0 12	2.0% 0.0% 1.1%	31 2 14	0.5% 1.3%	17 88	4.3% 8.0%	Ů	0.0% 0.0%	18 186	4.5% 16.8%	400 1,104	6.3% 17.5%	100% 100%

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

Cumulative Number of Reported HIV (Not AIDS) Cases

nation both data. The bacob by exposure bacogory and gondon (Excitating 200)														
ADULT HAITIAN BORN HIV CASES														
Exposure Category	MALE-TO-	-MALE	INJEC	INJECTION [MSM\ & [IDU] H		HETEROSEXUAL OTHER*		<b>?</b> *	NO REPORTED		<b>Total Hait</b>	tian		
GENDER	SEXUAL C	ONTACT	DRUG US	E [IDU]	DU]		CONTACT R		RISK		RISK [NRR]		by Ge	nder
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			11	1.8%			523	87.6%	0	0.0%	63	10.6%	597	100%
Haitian born Adult Males	116	20.2%	7	1.2%	1	0.2%	316	55.1%	0	0.0%	134	23.3%	574	100%
Total Haitian born	116	9.9%	18	1.5%	1	0.1%	839	71.6%	0	0.0%	197	16.8%	1,171	100%

<sup>\*</sup> OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

#### Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.

		DOC HIV Cases										
HIV Cases by	Female	е	Male	!	Total							
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %						
Hispanic/Latino (All Races)	6	33.3%	76	17.5%	82	18.1%						
Black or African American	8	44.4%	275	63.4%	283	62.6%						
White	4	22.2%	63	14.5%	67	14.8%						
Haitian	0	0.0%	13	3.0%	13	2.9%						
Other (1)	0	0.0%	7	1.6%	7	1.5%						
Total HIV	18	100%	434	100%	452	100%						

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

HIV / 2016-11 14 of 23

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. (1)

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	11	2	1	82	0	96
2014	4	1	0	84	0	89
2015	15	5	0	77	0	97
2016	32	0	0	41	0	73
Total	228	17	2	862	0	1,109

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20<sup>th</sup>, 2006. (1)

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other <sup>(2)</sup>	TOTAL
>=November 20 <sup>th</sup> , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	74	3	2	96
2014	15	70	4	0	89
2015	18	77	2	0	97
2016	11	57	5	0	73
Total	204	850	45	10	1,109

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

<sup>(2)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20<sup>th</sup>, 2006. (1)

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	80	11	1	1	1	3	97
2016	51	16	3	1	1	1	73
Total	830	218	36	10	7	8	1,109

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20<sup>th</sup>, 2006. (1)

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	159	48	13	4	3	1	228
Pediatric HIV	12	1	3	0	1	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	657	169	20	6	3	7	862
Unknown	0	0	0	0	0	0	-
Total	830	218	36	10	7	8	1,109

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20<sup>th</sup>, 2006. (1)

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	228	0	0	0	228
Pediatric HIV	17	0	0	0	0	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	617	245	0	862
Unknown	0	0	0	0	0	0	-
Total	19	0	228	617	245	0	1,109

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2016.

Perinatal HIV/AIDS	Pediatric	HIV	Pedia	ric AIDS		TOTAL	
Cases by Year of Birth	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	12.5%	100%
2001	6	60.0%	4	40.0%	10	17.9%	100%
2002	3	50.0%	3	50.0%	6	10.7%	100%
2003	3	75.0%	1	25.0%	4	7.1%	100%
2004	1	50.0%	1	50.0%	2	3.6%	100%
2005	3	60.0%	2	40.0%	5	8.9%	100%
2006	2	66.7%	1	33.3%	3	5.4%	100%
2007	1	100.0%	0	0.0%	1	1.8%	100%
2008	1	50.0%	1	50.0%	2	3.6%	100%
2009	2	100.0%	0	0.0%	2	3.6%	100%
2010	3	100.0%	0	0.0%	3	5.4%	100%
2011	1	100.0%	0	0.0%	1	1.8%	100%
2012	1	100.0%	0	0.0%	1	1.8%	100%
2013	2	66.7%	1	33.3%	3	5.4%	100%
2014	1	100.0%	0	0.0%	1	1.8%	100%
2015	5	100.0%	0	0.0%	5	8.9%	100%
2016	0	#DIV/0!	0	#DIV/0!	0	0.0%	#DIV/0!
Fotal Confirmed Perinatal  Cases	40	71%	16	29%	56	100%	100%

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. (1)

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	4	0	7	0.6%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	8	1	0	2	0	11	1.0%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	10	3	0	18	0	31	2.8%
JACKSON SOUTH MEDICAL CTR.	3	0	0	15	0	18	1.6%
JACKSON MEMORIAL HOSPITAL	154	7	0	761	0	922	83.1%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	11	0	0	9	0	20	1.8%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	14	2	0	32	0	48	4.3%
PLANTATION GENERAL HOSPITAL	2	0	0	1	0	3	0.3%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	10	0	17	1.5%
TOTAL	228	17	2	862	0	1,109	100%

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY **HIV/AIDS SURVEILLANCE**

#### LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015

Living cases with HIV disease, excluding Department of Correction [DOC] cases. Data as of June 2016

\* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

	* LIVING CASES by DIAGNOSIS						
	AIDS		HIV (Not A	IDS)	Total Prevalence		
GENDER	Cases	Col %	Cases	Col %	Cases	Col %	
Female	3,781	29%	3,344	26%	7,125	27%	
Male	9,478	71%	9,738	74%	19,216	73%	
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	

* Living Cases Including DOC			
AIDS	13,639		
HIV	13,427		
Total	27,066		

		* LIVING CASES by DIAGNOSIS					* LIVING CASES by GENDER					
	AID	S	HIV (Not	AIDS)	Total Prev	alence	FEM	ALE	MA	LE	Total Prev	valence
RACE/ETHNICITY	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	5,469	41%	6,114	47%	11,583	44%	1,672	23%	9,911	52%	11,583	44%
Not Hispanic, Black	6,261	47%	5,195	40%	11,456	43%	5,024	71%	6,432	33%	11,456	43%
Not Hispanic, White	1,317	10%	1,620	12%	2,937	11%	331	5%	2,606	14%	2,937	11%
Not Hispanic, Other	212	2%	153	1%	365	1%	98	1%	267	1%	365	1%
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	7,125	100%	19,216	100%	26,341	100%

	* LIVING CASES by DIAGNOSIS					* LIVING CASES by GENDER						
	AID	S	HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
CURRENT AGE	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-01 years	-	0%	5	0%	5	0%	4	0%	1	0%	5	0%
02-12 years	5	0%	19	0%	24	0%	8	0%	16	0%	24	0%
13-24 years	205	2%	606	5%	811	3%	243	3%	568	3%	811	3%
25-44 years	2,991	23%	5,431	42%	8,422	32%	2,326	33%	6,096	32%	8,422	32%
45-64 years	8,524	64%	6,128	47%	14,652	56%	3,876	54%	10,776	56%	14,652	56%
65+ years	1,534	12%	893	7%	2,427	9%	668	9%	1,759	9%	2,427	9%
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	7,125	100%	19,216	100%	26,341	100%

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY **HIV/AIDS SURVEILLANCE**

#### LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015

Living cases with HIV disease, excluding Department of Correction [DOC] cases. Data as of June 2016.

\* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

	* LIVING	* LIVING CASES by DIAGNOSIS, RISK CATEGORY and GENE						
	AID	S	HIV (Not	AIDS)	Total Pre			
EXPOSURE CATEGORY (1)	Cases	Col %	Cases	Col %	Cases	Col %		
MALE						% of Male	% of Total	
Male-to-male sexual contact [MSM]	6,282	66%	7,543	77%	13,825	72%	52%	
Injection drug use [IDU]	605	6%	283	3%	888	5%	3%	
MSM & IDU	434	5%	252	3%	686	4%	3%	
Heterosexual contact	2,038	22%	1,598	16%	3,636	19%	14%	
Other risk	119	1%	62	1%	181	1%	1%	
Total Male Prevalence	9,478	100%	9,738	100%	19,216	100%		
FEMALE					%	of Female		
Injection drug use [IDU]	487	13%	233	7%	720	10%	3%	
Heterosexual contact	3,169	84%	3,026	90%	6,195	87%	24%	
Other risk	125	3%	85	3%	210	3%	1%	
Total Female Prevalence	3,781	100%	3,344	100%	7,125	100%	100%	

	AID	S	HIV (Not	AIDS)	Total Prevalence		
	Cases	Row %	Cases	Row %	Cases	Total %	
TOTAL PREVALENCE	13,259	50%	13,082	50%	26,341	100%	

<sup>(1)</sup> No identified risk redistributed

Source: Florida Department of Health, Bureau of Communicable Diseases HIV/AIDS Section.

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

\* ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida,

ADULT MALE LIVING WITH HIV OR AIDS					
MIAMI-DADE	FLORIDA				
One in 63 White adult male in Miami-Dade is living with HIV or AIDS	One in 171 White adult male				
One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 38 Black adult male</li> </ul>				
One in 73 Hispanic adult male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 97 Hispanic adult male</li> </ul>				
One in 91 other race adult male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 199 Other adult male</li> </ul>				
One in 56 adult male in Miami-Dade is living with HIV or AIDS	One in 102 adult male in Florida				

ADULT FEMALE LIVING WITH HIV OR AIDS					
MIAMI-DADE	FLORIDA				
One in 472 White adult female in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 1,048 White adult fema</li> </ul>				
One in 38 Black adult female in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 61 Black adult female</li> </ul>				
<ul> <li>One in 474 Hispanic adult female in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 424 Hispanic adult fem:</li> </ul>				
<ul> <li>One in 272 other race adult female in Miami-Dade is living with HIV or AID</li> </ul>	<ul> <li>One in 582 Other adult female</li> </ul>				
One in 164 adult female in Miami-Dade is living with HIV or AIDS	One in 277 adult female in Florida				

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS					
MIAMI-DADE	FLORIDA				
One in 109 White adult in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 299 White adult</li> </ul>				
One in 31 Black adult in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 48 Black adult</li> </ul>				
<ul> <li>One in 131 Hispanic adult in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 160 Hispanic adult</li> </ul>				
One in 140 other race adult in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 307 Other adult race</li> </ul>				
One in 85 adult resident in Miami-Dade is living with HIV or AIDS	One in 152 adult Floridian				

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

You cannot compare this year's data with previous year's since they were run separately

<sup>\*</sup> Living data now reflects those living on our area regardless of where diagnosed.

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

\* ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida

TOTAL MALE LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
One in 76 White male in Miami-Dade is living with HIV or AIDS	One in 193 White male			
One in 33 Black male in Miami-Dade is living with HIV or AIDS	One in 49 Black male			
One in 86 Hispanic male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 120 Hispanic male</li> </ul>			
One in 112 other race male in Miami-Dade is living with HIV or AIDS	One in 261 Other male			
One in 67 male in Miami-Dade is living with HIV or AIDS	One in 121 male in Florida			

TOTAL FEMALE LIVING WITH HIV OR AIDS					
MIAMI-DADE	FLORIDA				
One in 564 White female in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 1,173 White female</li> </ul>				
<ul> <li>One in 46 Black female in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 75 Black female</li> </ul>				
<ul> <li>One in 547 Hispanic female in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 517 Hispanic female</li> </ul>				
One in 325 other race female in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 735 Other female</li> </ul>				
One in 191 female in Miami-Dade is living with HIV or AIDS	One in 322 female in Florida				

TOTAL ALL SEXES LIVING WITH HIV OR AIDS					
MIAMI-DADE	FLORIDA				
One in 131 White in Miami-Dade is living with HIV or AIDS	One in 336 White				
One in 38 Black in Miami-Dade is living with HIV or AIDS	One in 60 Black				
<ul> <li>One in 152 Hispanic in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 196 Hispanic</li> </ul>				
One in 169 other race in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 395 Other race</li> </ul>				
One in 101 Miami-Dade resident is living with HIV or AIDS	One in 178 Floridian				

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

You cannot compare this year's data with previous year's since they were run separately

<sup>\*</sup> Living data now reflects those living on our area regardless of where diagnosed.

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY USEFUL WEBSITE LINKS

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS
Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention [CDC]  Morbidity and Mortality Weekly Report [MMWR]	http://www.cdc.gov/mmwr/
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx
Florida Department of Health in Miami-Dade County	http://miamidade.floridahealth.gov
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.floridahealth.gov/diseases-and-conditions/aids/index.html
Organización Panamericana de la Salud [PAHO] (Pan American Health Organization)	http://www.paho.org
The Test Miami Initiative	http://www.testmiami.org/index.aspx
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidsn.html
World Health Organization [WHO]	http://www.who.int

WEBSITES 23 of 23